

DECLARATION OF PERFORMANCE

No. CAS60_ED/160415

1. Product type: **Entrance doors 60mm sash 94mm frame, single**
2. Serial number by which you can identify the product: corresponds to the number on a window label on the product outer edges of the frame.
3. Intended use: Domestic and commercial
4. Manufacturer: UAB "MEGRAME" MEDIS, Kirtimų str. 37A, LT-02244 Vilnius, Lithuania
5. Authorized representative: n/a
6. Assessment and verification of constancy of performance: **System 3**
7. Relevant Harmonised Standard: EN 14351-1:2006+A1:2010 Windows and doors.
8. Notified body: Mobilne laboratorium Notified Body 2189. Test report No. MLTB-1767-2015-I and Exova Notified Body 1104 Test Report No. WIL 361946-3

9. Declared performance:

Essential Characteristic	Harmonised Standard	Unit of measure	Declared Performance
			46mm insulated panel
Acoustic performance R_w (C;Cw)	EN ISO 717-1:2013	dB	-
Resistance to repeated opening and closing	EN 1191 EN 12400	cycles class	-
Thermal transmittance	BS EN ISO 10077-1:2006, BS EN ISO 10077-2:2012	W/m ² K	1,5
Resistance to wind load	EN 12211:2002	class	C3
Air permeability	EN 1026:2004	class	4
Watertightness - Water permeability class	EN 1027:2004	class	1A

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

 Vestina Magelinskiene

Vilnius, April 15th 2016

